



RECEIVED BY

JAN 31 2020

NAPS HEADQUARTERS

January 29, 2020

Mr. Brian J. Wagner
President
National Association of Postal Supervisors
1727 King Street, Suite 400
Alexandria, VA 22314-2753

Certified Mail Tracking Number:
701800360 0001 6256 7820

Dear Brian:

As a matter of general information, the Postal Service will be testing Cordless Backpack Vacuums at the following locations during the period of February 10 through March 10, 2020.

- Cap Metro Area, Suburban P&DC
- Western Area, Kansas City P&DC
- Eastern Area, Reading P&DF
- Pacific Area, Margaret Sellers P&DC
- Great Lakes Area, Milwaukee P&DC
- Southern Area, Austin P&DC
- Northeast Area, Boston P&DC

Enclosed are slides identifying and describing the Cordless Backpack Vacuum.

If you have any questions, please contact Jeffery A. Meadows at (304) 743-9436.

Sincerely,

A handwritten signature in blue ink, appearing to read "Rickey R. Dean".

 Rickey R. Dean
Manager
Contract Administration (APWU)

Enclosure

ProTeam

Cordless Review



New GoFree® Flex Pro II



High/Low Power Switch –

High – High Traffic, Deep Clean
Low – Daily Clean, Routine Cleaning
Alternate During Use to Optimize
Cleaning for the Needs of Your Space



Two Battery Options – 6 Ah or 12 Ah

Allowing More Flexibility Based on your
Cleaning Needs



Lightweight –

6 Ah = 15.5 lbs. | 12 Ah = 17.5 lbs.

Comfortable & Easy to Maneuver



Runtime –


6 Ah: 50 mins. (low) | 35 mins. (high)

12 Ah: 101 mins. (low) | 73 mins. (high)



Questions to Ask to Guide Battery Selection –

- How long are you cleaning?
- What type of cleaning are you doing?
- Who is doing the cleaning?






6 Ah

12 Ah

Specs			
Approx. Runtime	50 (low) / 35 (high) mins.	101 (low) / 73 (high) mins.	
Approx. Charge Time	1.5 hrs.	3 hrs.	
Charge Cycles	500	850	
Warranty	Battery: 1 yr. Charger and Motor: 2 yrs. Parts & Labor: 3 yrs. Body: Lifetime	Battery, Charger and Motor: 2 yrs. Parts & Labor: 3 yrs. Body: Lifetime	
Weight	15.5 lbs.	17.5 lbs.	
Motor Airflow	58 CFM (low) 65 CFM (high)		
Static Lift	67 in. (low) 81 in. (high)		
Motor	36 VDC / 240 W (low) 345 W (high) (brushless)		
Decibel	63.9 dBA		
Filtration	ProLevel Filtration System with HEPA Media captures 99.72% at 0.3-.5 microns per ASTM 3150		
Battery Type	Lithium Ion		
Capacity	6 qt.		
CRI	Bronze		

Max Battery Runtime Comparison



Harness = Ergonomics

